



RAYON
LIGHTING
GROUP



LED DECORATIVE HIGH BAY LIGHTING SERIES

LED DECORATIVE HIGH BAYS

THE INTENDED USE OF THIS PRODUCT IS FOR INTERIOR WAREHOUSES, GYMNASIUM LIGHTING, AND FOOD SERVICE AREAS.




SONOMA 2



SONOMA 1

MOUNTING FEATURES



SONOMA 2R (REMOTE DRIVER)




LED DECORATIVE HIGH BAYS

THE INTENDED USE OF THIS PRODUCT IS FOR INTERIOR WAREHOUSES, GYMNASIUM LIGHTING, AND FOOD SERVICE AREAS.



SONOMA 1R (REMOTE DRIVER)

MOUNTING FEATURES



T1014 | SONOMA 1



SONOMA 2 | T1018

T1013 | SONOMA 1R (REMOTE DRIVER)



SONOMA 2R (REMOTE DRIVER) | T1017

PRODUCT DIMENSION:

AVAILABLE IN:



MADE TO ORDER HOUSING AND REFLECTOR FINISHES



PRODUCT DIMENSION:

AVAILABLE IN:



MADE TO ORDER HOUSING AND REFLECTOR FINISHES



PRODUCT DIMENSION:

AVAILABLE IN:



MADE TO ORDER HOUSING AND REFLECTOR FINISHES



PRODUCT DIMENSION:

AVAILABLE IN:



MADE TO ORDER HOUSING AND REFLECTOR FINISHES



ORDER INFORMATION

SERIES	WATT LUMENENS	VOLTAGE	COLOR TEMP	HOUSING FINSH	REFLECTOR	REFLECTOR FINISH	MOUNTING	OPTIONS
T1014 - SONOMA 1	18 - 18W/1440L	UNI12 - 120/277V	30 - 3000K	GY - STANDARD GREY	AL - ALUMINUM	ST - STANDARD	PH - PENDANT HUNG	DIM - DIMMABLE
T1018 - SONOMA 2	30 - 30W/2400L	347 - 347V	35 - 3500K	MTO - MADE TO ORDER	PA - PRISMATIC ACRYLIC	MTO - MADE TO ORDER	SC - SINGLE CABLE	SDT - STEP DOWN TRANSFORMER
	45 - 45W/3600L	480 - 480V	40 - 4000K		MTO - MADE TO ORDER		DC - DOUBLE CABLE	EM - EMERGENCY BACK-UP
			50 - 5000K					WC - WIRELESS CONTROL
								PDL - PARTIALLY DIFFUSED OUTER DIAMETER LENS
								FDL - FULLY DIFFUSED LENS

ORDER INFORMATION

SERIES	WATT LUMENENS	VOLTAGE	COLOR TEMP	HOUSING FINSH	REFLECTOR	REFLECTOR FINISH	MOUNTING	OPTIONS
T1013 - SONOMA 1R (REMOTE DRIVER)	18 - 18W/1890L	UNI12 - 120/277V	30 - 3000K	GY - STANDARD GREY	AL - ALUMINUM	ST - STANDARD	PH - PENDANT HUNG	DIM - DIMMABLE
T1017 - SONOMA 2R (REMOTE DRIVER)	30 - 30W/3150L	480 - 480V	40 - 4000K	MTO - MADE TO ORDER	PA - PRISMATIC ACRYLIC	MTO - MADE TO ORDER	SC - SINGLE CABLE	SDT - STEP DOWN TRANSFORMER
	45 - 45W/4725L		50 - 5000K		MTO - MADE TO ORDER		DC - DOUBLE CABLE	EM - EMERGENCY BACK-UP
	57 - 57W/5985L		OX - OTHER					WC - WIRELESS CONTROL
								PDL - PARTIALLY DIFFUSED OUTER DIAMETER LENS
								FDL - FULLY DIFFUSED LENS

TECH-D
TECHNOLOGY DRIVEN
LED DECORATIVE HIGH BAYS



WWW.RAYONLIGHTING.COM

Product Guide Disclaimer

The Information in this guide is for informational purposes only and is subject to change without notice. Consult factory for exact product specifications and/or certifications. Please check our website for most recent changes and updates reflecting our policies and products.
