# RAYON
## LIGHTING
# GROUP

**LED** UNDERCABINET
LIGHTING

11" | 14" | 22" | 29"

## RULA LED Undercabinet Series

The ideal product for energy efficient lighting for retrofit or new construction applications. It is a great replacement for existing fluorescent, incandescent, halogen, or xenon undercabinet lighting. This product may be used in hospitality, health care, commercial, retail, and residential applications. The RULA series will reduce energy consumption, emits little heat, and reduces cooling loads for added costs savings.

**Energy Efficient**
*Reduced Cost*
Long Life

Photo by: thekitchendesigner

**RAYON**
LIGHTING
GROUP

# LED Undercabinet Lighting at a Glance

Available sizes:

## 11" / 14" / 22" / 29"

| | WATT | LUMENS | VOLTAGE | CRI | CCT | FINISH |
|---|---|---|---|---|---|---|
| RULA 11" | 4W | 260 | 120V | 80+ or 90+ | 3000K | White/Black |
| RULA 14" | 6W | 400 | 120V | 80+ or 90+ | 3000K | White/Black |
| RULA 22" | 8W | 550 | 120V | 80+ or 90+ | 3000K | White/Black |
| RULA 29" | 10W | 700 | 120V | 80+ or 90+ | 3000K | White/Black |

Slim 1" Profile

Diffused Lens

LEDs hidden from view

Optional On/Off Switch

Knockout for direct wiring

Input/Output End to End Connector

OUTPUT

## RULA Series Key Features

- 120V built-in driver
- Dimmable
- Diffused lens creates even light distribution without any LED diode glare on hard surface
- Linkable utilizing end to end connectors
- Slim 1" design
- Lengths: 11", 14", 22", 29"
- Color Temperature: 3,000K
- Color Rendering Index: 80+ or 90+ CRI typical
- Finish: Available in white or black
- Energy Star Approved

## Product Dimension

3 1/2"

1"

11"  14"  22"  29"

## Basic Accessories Included

Captive screws

Plastic washer

Wire Connector

End to end connector

On/Off switch

3/8" Diecast Outlet

## Optional Accessories

Power Cord

Linkable Connector with Wire
(Available in 4 different lengths)

Junction Box

## ORDERING INFORMATION

| RULA | | | | |
|---|---|---|---|---|

| SERIES | SIZE | FINISH | COLOR TEMP | OPTIONS |
|---|---|---|---|---|
| RULA | 11-11" Length (4watts)<br>14 -14" Length (6watts)<br>22 -22" Length (8watts)<br>29 -29" Length (10watts) | W - White<br>B - Black | 3 - 3000k | RULA-LC24-W - White linkable connector with 2ft. lead wire<br>RULA-LC24-BL - Black linkable connector with 2ft. lead wire<br>RULA-LC3-W - White linkable connector 3" lead wire<br>RULA-LC3-BL - Black linkable connector 3" lead wire<br>RULA-LC2-W - White linkable connector 2" lead wire<br>RULA-LC2-BL - Black linkable connector 2" lead wire<br>RULA-LC1-W - White linkable connector 1" lead wire<br>RULA-LC1-BL - Black linkable connector 1" lead wire<br>RULA-PC120-W - White power cord<br>RULA-PC120-BL - Black power cord<br>RULA-JB-W - White J-Box<br>RULA-JB-BL - Black J-Box<br>FI - Factory Installed On/Off Switch |

# 120V
# DIMMABLE
## 11", 14", 22", 29"
### White or Black

c UL us LISTED

DIMMABLE

energy ENERGY STAR

c UL us LISTED

DIMMABLE

energy ENERGY STAR

HOSPITALITY

RAYON LIGHTING GROUP

RESIDENTIAL

PRODUCT
APPLICATIONS

COMMERCIAL

## No Visual Pixelation

Rayon Lighting RULA Series

Other LED

## Continuous Row

Wide Distribution

End to End
Connector

## Optional Connection

Duplex Connection

or

Direct Wire

## Dimmable

## Slim 1" Depth

# RULA UNDERCABINET
## LED SERIES

**RAYON**
LIGHTING
GROUP

WWW.RAYONLIGHTING.COM

**Product Guide Disclaimer**

The Information in this guide is for informational purposes only and is subject to change without notice. Consult factory for exact product specifications and/or certifications. Please check our website for most recent changes and updates reflecting our policies and products.

c(UL)us LISTED          DIMMABLE          energy ENERGY STAR